

**LED STRIP LIGHT
MANUFACTURER**

SHENZHEN LEDODM LIGHTING CO., LTD

Add: 7th Floor, Building 2, Seventh Industrial Zone, Yulv Community,
Yutang Street, Guangming District, Shenzhen, Guangdong, China

Tel: +86-755-27610878


Fax: +86-755-27610978

Web: www.flexcob.com

Email: vip@ledodm.com

COB LED STRIP

Color Temperature




2700K
Golden Yellow




3000K
Warm White



4000K
Natural White



6500K
Cool White



MODEL NO.	COLOR	POWER	LUMEN	LED QMY	VOLTAGE	FPCB	PITCH
SL-COB-320W8	2700/3000/4000/6500K	9.6W	100LM/W	320Chips/m	12/24V	8mm	25mm/50mm
SL-COB-480W8	2700/3000/4000/6500K	9.6W	100LM/W	480Chips/m	12/24V	8mm	25mm/50mm
SL-COB-480E4	2700/3000/4000/6500K	6W	80LM/W	480Chips/m	12/24V	4mm	25mm/50mm
SL-COB-480E5	2700/3000/4000/6500K	7W	80LM/W	480Chips/m	12/24V	5mm	25mm/50mm
SL-COB-480E8	2700/3000/4000/6500K	10W	100LM/W	480Chips/m	12/24V	8mm	25mm/50mm
SL-COB-480E10	2700/3000/4000/6500K	12W	100LM/W	480Chips/m	12/24V	10mm	25mm/50mm

IP Grade


IP20




IP65




IP66



IP20
(Non-waterproof)



IP65
(Anti small water drop)



IP66
(Anti big water drop)



Color Rendering Index



CRI > 70
The true color of the subject is poor




CRI > 80
The true color of the subject is slightly lacking




CRI > 90
The real color of the illuminated object has a high degree of restoration


COB LED STRIP




SL-COB-450RGB




SL-COB-896RGBW








SL-COB-840RGBWW



SL-COB-608CCT




SL-COB-630SM16703



MODEL NO.	COLOR	POWER	CRI	LUMEN	LED QMY	VOLTAGE	FPCB	PITCH
SL-COB-608CCT	2700-6500K	22W	90	80LM/W	608Chips/m	12/24V	10mm	13mm/26.3mm
SL-COB-450RGB	RGB	15W	/	/	450Chips/m	12	10mm	20mm
SL-COB-480RGB	RGB	15W	/	/	480Chips/m	24V	10mm	50mm
SL-COB-810RGB	RGB	15W	/	/	810Chips/m	12	10mm	11.11mm
SL-COB-840RGB	RGB	15W	/	/	840Chips/m	24V	10mm	25mm
SL-COB-896RGBW	RGBW	16W	/	/	896Chips/m	24V	12mm	62.5mm
SL-COB-840RGBWW	RGBWW	16W	/	/	840Chips/m	24V	12mm	41.6mm
SL-COB-630SM16703	Digital RGB	10W/14W	/	/	630Chips/m	12/24V	12mm	71.42mm/100mm

COB LED STRIP




HIGH EFFICIENCY COB LED STRIP

MODEL NO.	COLOR	POWER	CRI	LUMEN	LED QMY	VOLTAGE	FPCB	PITCH
SL-COB-480H8	2700/3000/4000/6500K	9W	95	130LM/W	480Chips/m	24V	8mm	50mm
SL-COB-480H10	2700/3000/4000/6500K	12W	95	130LM/W	480Chips/m	24V	10mm	50mm










SUPER LENGTH CONSTANT CURRENT COB LED STRIP

MODEL NO.	COLOR	POWER	CRI	LUMEN	LED QMY	VOLTAGE	FPCB	PITCH	PACKING
SL-COB-360C15	2700/3000/4000/6500K	10W	90	85LM/W	360Chips/m	24V	10mm	50mm	15M/ROLL
SL-COB-480C30	2700/3000/4000/6500K	10W	90	85LM/W	480Chips/m	48V	10mm	50mm	30M/ROLL



COB LED STRIP

COB Solderless Connector

Applicable lamp belt type, width, color	2pin Suitable for IP20 5mm / 8mm /10mm wide single color cob led strip	3pin Suitable for ip20 10mm wide two color temperature cob led strip	4pin Suitable for ip20 10mm wide RGB cob led strip
PCB to wire connector			
PCB to PCB connector			
PCB to PCB connection			
PCB to PCB connection	